Maine Weekly Influenza Surveillance Report

November 12, 2008

Synopsis


During the week ending November 8th, 2008 (MMWR week 45)*, Maine reported no influenza activity.

Moderate Disease Surveillance

Outpatient influenza-like illness (ILI)

During the week ending November 8^{th} , 2008, 0.4% of outpatient visits reported by five Maine Sentinel Providers were for influenza-like illness (ILI). ILI is defined as fever ($\geq 100^{\circ} \text{ F} / \geq 37.8^{\circ}$ C) AND cough or sore throat in the absence of a known cause. In the New England States, 0.7% of outpatient visits were attributed to influenza-like illness during week 45.

Outpatient Visits for Influenza-like Illness -- Maine, 2007-09



New England is defined as Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.


Severe Disease Surveillance

Hospital inpatients

During the week ending November 8th, 2008, 5.0% of hospital admissions reported by four hospitals were attributable to pneumonia or influenza. This is consistent with previous weeks.

^{*} At time of publication, reporting may be incomplete. Numbers presented here may change as more reports are received.

Hospital Admissions Due to Pneumonia or Influenza -- Maine, 2007-09



Laboratory Reporting

During the week ending November 8th, 2008, no samples were submitted for testing to the Maine Health and Environmental Testing Laboratory (HETL). To date, 17 samples have been submitted, none have tested positive for influenza.

During the week ending November 8th, 2008, 26 samples were submitted for testing to two private reference laboratories, none tested positive for influenza. A combined total of 109 specimens from two private reference laboratories have been submitted for respiratory testing to date. None tested positive for influenza. One sample tested positive for RSV during week 45.

Outbreaks


During the week ending November 8th 2008, no outbreaks of influenza-like illness were reported in Maine.

Fatalities Surveillance

Death Certificates

During the week ending November 8^{th} 2008, 12.9 % of deaths reported by two city vital records offices were attributable to pneumonia and influenza.

Percentage of Deaths Attributable to Pneumonia and Influenza – Maine, New England and the United States, 2007-09



Pediatric Fatalities

No influenza-associated pediatric deaths in Maine have been reported this season.


National Influenza Activity

State health departments report the estimated level of influenza activity in their states each week. States report influenza activity as: 1) no activity, 2) sporadic, 3) local, 4) regional, or 5) widespread (definitions of these levels can be found at: www.cdc.gov/flu/weekly/usmap.htm). Maine reported no activity for the week ending November 8th (week 45).





A Weekly Influenza Surveillance Report Prepared by the Influenza Division Weekly Influenza Activity Estimates Reported by State and Territorial Epidemiologists*



^{*} This map indicates geographic spread and does not measure the severity of influenza activity.